

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant's attorney, **Mr. David J. Torrente** on Monday, December 15, 2008.

The application has been amended as follows:

In the Claims:

Line 5, after second occurrence of "A", insert---**and B**---, line 12, after "partially", delete---**the at least one wound reinforcing wire comprising a round wire or strand**---

Claim 18, line 5, after second occurrence of "A", insert---**and B**---

Amendment made to clarify that the lay angles A and B are not equal. Applicant is invited to call the examiner if changes are not acceptable. These changes were discussed previously and were pending foreign Applicant's approval.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Patrick F. Brinson** whose telephone number is (571) 272-4897. The examiner can normally be reached on M-F 7:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Kevin P. Shaver** can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Patrick F. Brinson/
Primary Examiner, Art Unit 3754

Application/Control Number: 10/564,379
Art Unit: 3754

Page 4

P. F. Brinson
December 21, 2008